


ΠΑΡΑΡΤΗΜΑ Β

**ΣΤΡΑΤΗΓΙΚΟΙ ΧΑΡΤΕΣ ΘΟΡΥΒΟΥ L_{DEN} & L_{NIGHT}
ΣΤΑ ΤΜΗΜΑΤΑ ΤΗΣ ΕΓΝΑΤΙΑΣ ΟΔΟΥ ΑΠΟ Α/Κ ΒΕΡΟΙΑΣ ΕΩΣ Α/Κ Κ1 ΚΑΙ ΑΠΟ Α/Κ
ΓΗΡΟΚΟΜΕΙΟΥ ΕΩΣ Α/Κ ΣΤΡΥΜΟΝΑ**

**ΣΥΜΦΩΝΑ ΜΕ ΤΗΝ ΕΥΡΩΠΑΪΚΗ ΟΔΗΓΙΑ 2002/49/ΕΚ &
ΤΗΝ ΚΥΑ 13586/724/ΦΕΚ Β'384/28.3.2006**



Strategic Noise Mapping Egnatia ODOS

Settlement: Kouloura

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg

Cadna A

Consultant:



With the
collaboration of:


ACCON

ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Kouloura

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:


ACCON


ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01





Strategic Noise Mapping Egnatia ODOS

Settlement: Rapsomaniki

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
DataKustik GmbH, Greifenberg



Consultant:



With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Kefaloxori

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Kefaloxori

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:


ACCON

ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Nisseli

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:




With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Nisseli

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:




With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Prasinada

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:





ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany


www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01







Strategic Noise Mapping Egnatia ODOS

Settlement: Kleidi

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:





With the
collaboration of:




ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany
www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01







Strategic Noise Mapping Egnatia ODOS

Settlement: Profitis

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg

Cadna A

Consultant:



With the
collaboration of:


ACCON


ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01





Strategic Noise Mapping Egnatia ODOS

Settlement: Megali Volvi

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:




ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Megali Volvi

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:




ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Mikri Volvi

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
DataKustik GmbH, Greifenberg



Consultant:



With the
collaboration of:




ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Mikri Volvi

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
DataKustik GmbH, Greifenberg



Consultant:



With the
collaboration of:




ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009

Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS
Settlement: Asprovalta

Noise indicator: LDEN
> 50.0 dB(A)
> 55.0 dB(A)
> 60.0 dB(A)
> 65.0 dB(A)
> 70.0 dB(A)
> 75.0 dB(A)

Objects
Road
Building
Calculation Area

Scale 1:5,000

Program: Cadna/A, Version 3.72
DataKustik GmbH, Greifenberg



Consultant:




With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbestr. 5, 89028 Greifenberg, Germany
www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS
Settlement: Asprovalta

Noise indicator: LNight
> 45.0 dB(A)
> 50.0 dB(A)
> 55.0 dB(A)
> 60.0 dB(A)
> 65.0 dB(A)
> 70.0 dB(A)

Objects
Road
Building
Calculation Area

Scale 1:5,000

Program: Cadna/A, Version 3.72
DataKustik GmbH, Greifenberg

Cadna A

Consultant:




With the
collaboration of:

ACCON

ACCON GmbH
Acoustic Consultant
Gewerbestr. 5, 89028 Greifenberg, Germany
www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Nkerdylia

Noise indicator: LDEN

- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)
- > 75.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:




With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01



Strategic Noise Mapping Egnatia ODOS

Settlement: Nkerdylia

Noise indicator: LNight

- > 45.0 dB(A)
- > 50.0 dB(A)
- > 55.0 dB(A)
- > 60.0 dB(A)
- > 65.0 dB(A)
- > 70.0 dB(A)

Objects

- Road
- Building
- Calculation Area

Scale 1:5.000

Program: Cadna/A, Version 3.72
Datakustik GmbH, Greifenberg



Consultant:



With the
collaboration of:



ACCON GmbH
Acoustic Consultant
Gewerbering 5, 86926 Greifenberg, Germany

www.accon.de

Date: 25.08.2009 Project-Nr.: ACB-0809-4597/01